

FIG. 1




FIG.2




FIG.3A

66

SELECT PICTURES FOR STORAGE	ALL PICTURES <input type="radio"/>
	ALL PRINTED PICTURES <input type="radio"/>
	NONE <input type="radio"/>

FIG.3E

ALL
PICTURES

64

SIZE	QTY
3.5x5	○○○○
4x6	○○○○
5x7	○○○○
8x10	○○○○
CSTM	○

FIG.3B




FIG.3C 56




FIG.3D




FIG.3F




FIG. 4

6/30

48




FIG.5

7/30




FIG. 6A




FIG.6B

P006260 000029260





FIG.7



10/30




FIG.9A


10A5B35C2351449FED3A0903FA3C4816
136

FIG.9B

138
140
142 HP69549456602D808 144


FIG.9C

11/30



n -BIT DATA KEY

FIG.9D







FIG.10B






FIG.10D




FIG. 10E




FIG.10F




FIG.10G




FIG.10H




FIG.11A




FIG.11B




FIG.11C





FIG.12

24/30

IMAGE PROCESSING PARAMETERS 400

OPERATION 402

		
SIZE	QTY	
	3.5x5	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>
	4x6	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>
	5x7	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>
	8x10	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>
	CSTM	<input checked="" type="radio"/>
BRIGHTNESS	<input type="radio"/> <input type="radio"/> <input type="radio"/> LIGHT	
	<input type="radio"/> <input type="radio"/> MEDIUM	
	<input type="radio"/> DARK	
COLOR	BLUE <input type="radio"/> <input type="radio"/> <input type="radio"/>	
	RED <input type="radio"/> <input type="radio"/> <input type="radio"/>	
	GREEN <input type="radio"/> <input type="radio"/> <input type="radio"/>	
PAPER	<input type="radio"/> PLAIN	
	<input type="radio"/> PREMIUM	
	<input type="radio"/> PHOTO	
	<input type="radio"/> DELUXE PHOTO	
OPERATION	<input type="radio"/> PRINT	
	<input type="radio"/> SEND	
	<input type="radio"/> STORE	

I
52
54'

FIG.13




FIG.14A

26/30




FIG.14B




FIG.15




FIG. 16





FIG.17

30/30



22

580 ~

PARAMETER: VALUE SIZE: 3.5X5 QUANTITY: 1 BRIGHTNESS: MED COLOR: NORMAL PAPER: PHOTO
--

DEFAULT PARAMETER
VALUES (ENTERED AT
COMMAND INTERFACE)

FIG.18